

Ophthalmology

Adult Store and Forward Telehealth Consultations

We offer store and forward telehealth consultations for a variety of adult ophthalmologic conditions. If you want to refer a patient for a condition that is not listed below, please send your request along with the patient's chart notes to the telehealth coordinator for the specialist's consideration.

Clinical Conditions

- Diabetic fundus screening
- HIV testing
- Hypertensive retinopathy
- Other suspected retinal disorders

Necessary Clinical Information

- Visual acuity
- Pupillary exam
- Chief complaint and history of present illness
- Intraocular pressure (Tono-Pen®)
- Confrontational visual field (four fields)
- Anterior chamber depth (flashlight)

Information Needed Prior to Scheduling an Appointment

- [Telehealth Referral Request Form](#)
- Necessary Clinical Information (outlined above)
- Fundus photos after dilation

Steps to Complete Before Fundus Photography

(Must be completed 30 minutes prior to photography being taken)

- One drop Tropicamide 1% in each eye. Wait five minutes with eyes closed. This is a pupil dilator.
- One drop Neosynephrine 2% in each eye.

Information Needed Before the Consultation Begins

- Signed [UC Davis Health Acknowledgement of Receipt: Notice of Privacy Practices](#) form (new patients only)
- Documented verbal consent from the patient for participation in a telehealth consultation

Appointment Scheduling

N/A

Level of Presenter Required at Consultation

N/A

Required Equipment

- Access to EyePACS system



Consultant

Susanna Park, M.D., Ph.D.

UC Davis Center for Health and Technology

877-430-5332 (Phone)

866-622-5944 (Fax)

telehealth@health.ucdavis.edu

health.ucdavis.edu/cht