

- PUBLICATIONS SINCE 2000
- Weiss, R.H., Joo, A., Randour, C.J. p21^{Waf1/Cip1} is an assembly factor required for PDGF-induced vascular smooth muscle cell proliferation. *Journal of Biological Chemistry*, 275:10285-10290, 2000
- Weiss, R.H., Randour, C.J. The permissive effect of p21^{Waf1/Cip1} on DNA Synthesis is dependent on cell type: Effect is absent in p53-inactive cells. *Cellular Signalling*. 12:413-418. 2000
- Weiss, R.H., Hupfeld, C.J. TZD's inhibit vascular smooth muscle cell growth independently of the cyclin kinase inhibitors p21 and p27. *American Journal of Physiology: Endocrinology and Metabolism*. 281:E207-E216. 2001
- Weiss, R.H., Howard, L.L. p73 is a growth regulated protein in vascular smooth muscle cells and is present at high levels in human atherosclerotic plaque. *Cellular Signalling* 13:727-733. 2001
- Davis, B.B., Thompson, D.A., Howard, L.L., Morisseau, C., Hammock, B.D., and Weiss, R.H. Inhibitors of soluble epoxide hydrolase attenuate vascular smooth muscle cell proliferation. *Proceedings of the National Academy of Sciences (USA)*. 99(4):2222-2227. 2002
- Weiss, R.H., Randour, C.J. Attenuation of matrix protein secretion by antisense oligodeoxynucleotides to the cyclin kinase inhibitor p21^{Waf1/Cip1}. *Atherosclerosis* 161: 105-112, 2002.
- Nordfors, L., Stenvinkel, P., Marchlewska, A., Weiss, R.H., Heimbürger, Bergström, Lindholm, B. and M. Schalling. Molecular genetics and renal disease: what can we hope to achieve? *Nephrology, Dialysis, Transplantation*. 17(Suppl 3):5-11. 2002
- Weiss, R.H., Marshall, D., Howard, L.L., Corbacho, A.M., Cheung, A.T., Sawai, E.T. Suppression of breast cancer growth and angiogenesis by an antisense oligodeoxynucleotide to p21^{Waf1/Cip1}. *Cancer Letters*, 189: 39-48, 2003
- Davis, B.B., Dong, Y., Weiss, R.H. Overexpression of p73 causes apoptosis in vascular smooth muscle cells. *American Journal of Physiology: Cell Physiology*, 284: C16-C23, 2003 & Cover Photo
- Wong, G.A., Tang, V., El-Sabeawy, F., Weiss, R.H. BMP2 inhibits proliferation of human vascular smooth muscle cells via p21^{Waf1/Cip1}. *American Journal of Physiology: Endocrinology and Metabolism*, 284(5):E972-9, 2003
- Fan, Y., Borowsky, A.D., Weiss, R.H. An antisense oligodeoxynucleotide to p21^{Waf1/Cip1} causes apoptosis in human breast cancer cells, *Molecular Cancer Therapeutics*, 2:773-782, 2003
- Weiss, R.H. p21^{Waf1/Cip1} as a therapeutic target in breast and other cancers, *Cancer Cell*, 4: 426-429, 2003
- Dong, Y., Chi, S.L., Borowsky, A.D., Fan, Y., Weiss, R.H. Cytosolic p21^{Waf1/Cip1} increases cell cycle transit in vascular smooth muscle cells, *Cellular Signalling*, 16:263-269, 2004
- Fan, Y., Weiss, R.H. Exogenous attenuation of p21^{Waf1/Cip1} decreased mesangial cell hypertrophy due to hyperglycemia and IGF-1, *Journal of the American Society of Nephrology*, 15:575-584, 2004 plus Editorial Comments in the same issue, 15:825-826
- Yu, Z., Davis, B.B., Morisseau, C., Hammock, B.D., Olson, J., Kroetz, D.L., Weiss, R.H. Vascular localization of soluble epoxide hydrolase in human kidney, *American Journal of Physiology: Renal Physiology*, 286:F720-F726, 2004
- Tang, V., Yabes, A.P., Weiss, R.H. TNF α -mediated apoptosis in vascular smooth muscle cells requires p73, *American Journal of Physiology: Cell Physiology*, 289:C199-C206, 2005
- Weiss, R.H., Lin, P.-Y. Kidney Cancer: Identification of Novel Targets for Therapy, *Kidney International*, Jan;69(2), 2006
- Davis, B.B., Morisseau, C., Newman, J.W., Pedersen, T.L., Hammock, B.D. Weiss, R.H. Attenuation of vascular smooth muscle cell proliferation by 1-cyclohexyl-3-dodecyl urea is

independent of soluble epoxide hydrolase inhibition, *Journal of Pharmacology and Experimental Therapeutics*, Feb;316(2):815-21, 2006

- Perroud, B., Lee, J., Valkova, N., Dhirapong, A., Lin, P.Y., Fiehn, O., Kueltz, D., Weiss, R.H., Pathway Analysis of Kidney Cancer using Proteomic Analysis and Metabolic Profiling, *Molecular Cancer*, 5:64, 2006; <http://www.molecular-cancer.com/content/5/1/64>. (a “Highly Accessed” paper per website)
- Weiss, R.H., Borowsky, A.D., Seligson, D. Lin, P.-Y., Dillard-Telm, L., Belldegrün, A. S., Figlin, R.A., Pantuck, A.D. p21 is a prognostic marker in renal cell carcinoma: Implications for novel therapeutic approaches, *Journal of Urology*, Jan;177(1):63-69, 2007
- Lin, P.Y., Fosmire, S.P., Baksh, S., Modiano, J.F., Weiss, R.H. Attenuation of PTEN increases p21 stability and cytosolic localization in kidney cancer cells: a potential mechanism of apoptosis resistance, *Molecular Cancer*, 6:16, 2007; <http://www.molecular-cancer.com/content/6/1/16>
- Kind, T., Tolstikov, V., Fiehn, O., Weiss, R.H. A Comprehensive Urinary Metabolomic Approach for Identifying Kidney Cancer, *Analytical Biochemistry* 363(2):185-95, 2007
- Park, J.Y., Lin, P.Y., Weiss, R.H. Targeting the PI3K–Akt pathway in kidney cancer, *Expert Review of Anti-Cancer Therapy*, 7(6):863-70, 2007
- Park, J.-Y., Schutzer, W.E., Lindsley, J.N., Bagby, S.P., Oyama, T.T., Anderson, S., Weiss, R.H., p21 is decreased in polycystic kidney disease and leads to increased epithelial cell cycle progression: roscovitine augments p21 levels. *BMC Nephrology*, 8:12, 2007; <http://www.biomedcentral.com/1471-2369/8/12> (a “Highly Accessed” paper per website)
- Dhirapong, A., Weiss, R. H. The oncogenic role of PDGF and its receptor in human malignancies. In *Oncogenic Mutations of Tyrosine Kinases in Human Malignancies*. Kung, H.J. and Tepper, C.G., eds. World Scientific Publishing Co. (Singapore), 2008
- Son, A., Dhirapong, A., Dosev, D., Kennedy, I., Weiss, R.H., Hristova, K. Quantitative detection of PKD genetic mutations using magnetic/luminescent nanoparticles, *Analytical and Bioanalytical Chemistry*, 390(7):1829-35, 2008
- Park, S.H., Park, J.Y., Weiss, R.H. Antisense attenuation of p21 sensitizes kidney cancer to apoptosis in response to conventional DNA-damaging chemotherapy associated with enhancement of phospho-p53, *Journal of Urology* 180(1):352-60, 2008
- Ulu, A., Davis, B.B., Tsai, H.J., Kim, I.H., Morisseau, C., Inceoglu, B., Fiehn, O., Hammock, B.D., Weiss, R.H., Soluble epoxide hydrolase inhibition attenuates aortic plaque formation in a murine model of accelerated atherosclerosis, *Journal of Cardiovascular Pharmacology*, Oct;52(4):314-23, 2008
- Park, S.H., Wang, X., Liu, R., Lam, K.S., Weiss, R.H. High throughput screening of a small molecule one-bead-one-compound combinatorial library to identify attenuators of p21 as chemotherapy sensitizers, *Cancer Biology & Therapy*, Dec 26;7(12), 2008
- Park, J.Y., Park, S.H., Weiss, R.H., Disparate effects of roscovitine on renal tubular epithelial cell apoptosis and senescence: Implications for ADPKD, *American Journal of Nephrology*, Dec 10;29(6):509-515, 2008
- Kim, K.M., Aronov, P.A., Zakharkin, S.O., Anderson, D., Perroud, B., Weiss, R.H., Urine metabolomic analysis for kidney cancer detection and biomarker discovery, *Molecular and Cellular Proteomics* Mar;8(3):558-70, 2009
- Perroud, B., Ishimaru, T., Borowsky, A.D., Weiss, R.H. Grade-dependent proteomic characterization of kidney cancer, *Molecular and Cellular Proteomics*, May;8(5):971-85, 2009
- Weiss, R.H. Invited editorial (Weiss: Editor-in-Chief): Why another cancer journal? *Cancers*, July 23,1(1):1-2, 2009
- Liu, J.-Y. Park, S.-H., Morisseau, C., Hwang, S. H., Hammock, B., Weiss, R.H., Sorafenib Has sEH Inhibitory Activity Which Contributes to Its Effect Profile in vivo, *Molecular Cancer Therapeutics*, 2009 Aug;8(8):2193-203, 2009

- Taylor, S.L., Ganti, S., Bukanov N.O., Chapman, A., Fiehn, O., Osier, M., Kim, K., Weiss, R.H. A metabolomics approach using juvenile cystic mice to identify urinary biomarkers and altered pathways in polycystic kidney disease, *American Journal of Physiology: Renal Physiology*, 2010, 298:909-922, with Editorial Forum
- Ishimaru, T., Lau, J., Jackson, A.L., Modiano, J.F., Weiss, R.H. Pharmacological Inhibition of Cyclin-dependent Kinases Causes p53-dependent Apoptosis in Renal Cell Carcinoma, *Journal of Urology*, Nov;184(5):2143-9, 2010
- Chen H, Li C, Huang J, Cung T, Seiss K, Beamon J, Carrington MF, Porter, LC, Burke PS, Yang Y, Ryan BJ, Liu R, Weiss RH, Pereyra F, Cress WD, Brass AL, Rosenberg ES, Walker BD, Yu XG, Lichterfeld M. CD4+ T cells from elite controllers resist HIV-1 infection by selective upregulation of p21 (cip-1/waf-1). *Journal of Clinical Investigation*. Apr 1;121(4):1549-60, 2011.
- Weiss RH, Inoue H. Diagnosis and Treatment of Kidney Cancer. Nephrology CyberRounds., 2011 <http://www.cyberounds.com/cmecontent/04/87/art487.html?preview=on>
- Kim, K., Taylor, S.L., Ganti, S., Guo, L., Osier, M., Weiss, R.H. Urine metabolomic analysis identifies potential biomarkers and pathogenic pathways in kidney cancer, *OmicS*, May;15(5):293-303, 2011.
- Ganti, S., Weiss, R.H. Urine metabolomics for kidney cancer detection and biomarker discovery. *Urologic Oncology: Seminars and Original Investigations*, 2011 Sep-Oct;29(5):551-7. 2011
- Buzon, M., Seiss, K., Weiss, R.H., Brass, A., Rosenberg, E., Pereyra, F., Yu, X., Lichterfeld, M. Inhibition of HIV-1 integration in ex vivo infected CD4 T cells from elite controllers, *Journal of Virology*, 2011 Sep;85(18):9646-50. 2011
- Inoue, H., Hwang, S.H., Weckler, A.T., Hammock, B.D., Weiss, R.H. Sorafenib attenuates p21 in kidney cancer cells and augments cell death in combination with DNA-damaging chemotherapy, *Cancer Biology & Therapy*, 2011 Nov 1;12(9):827-36, 2011
- Weiss R.H, Kim K. Metabolomics in the Study of Kidney Diseases. *Nature Reviews Nephrology*. Oct 25;8(1):22-33, 2011
- Ganti, S., Taylor, S.L., Kim, K., Hoppel, C.L., Guo, L., Yang, J., Evans, C., Weiss, R.H. Urine acylcarnitines are altered in human kidney cancer, *International Journal of Cancer*, Jun 15;130(12):2791-800, 2012
- Ganti, S., Taylor, S.L., Aboud, O.A., Yang, J., Evans, C., Osier, M.V., Alexander, D.C., Kim, K., Weiss, R.H. Simultaneous multiple matrix metabolomics analysis of a mouse kidney cancer xenograft yields potential tumor biomarkers. *Cancer Research*, Jul 15;72(14):3471-9, 2012
- Zivkovic, A.M., Yang, J., Georgi, K., Hegedus, C., Nording, M.L., O'Sullivan, A., German, J.B., Hogg, R.J., Weiss, R.H., Bay, C., Hammock, B.D. Serum oxylipin profiles in IgA nephropathy patients reflect kidney functional alterations. *Metabolomics*, December 2012, Volume 8, Issue 6, pp 1102-1113
- Hoffman, M.D., Stuempfle, K.J., Fogard, K., Hew-Butler, T., Winger, J., Weiss, R.H. Urine Dipstick Analysis for Identification of Runners Susceptible to Acute Kidney Injury following an Ultramarathon, *Journal of Sports Sciences*, 2012 Oct 4. [Epub ahead of print]
- Inoue, H., Kauffman, M., Shacham, S., Landesman, Y., Weiss, R.H. Inhibition of nuclear export by CRM1 attenuation causes apoptosis in kidney cancer cells. *Journal of Urology*, 2012 Oct 15. S0022-5347(12)05217-2. [Epub ahead of print]
- Abu Aboud, O., Weiss, R.H. New opportunities from the cancer metabolome. *Clinical Chemistry*, 2013 Jan;59(1):138-46.
- Wettersten, H., Hwang, S.H., Li, C., Shiu, E.Y., Weckler, A.T., Hammock, B.D., Weiss, R.H. A novel p21 attenuator which is structurally related to sorafenib, *Cancer Biology & Therapy*, 2013 Jan 8;14(3).
- Martin KS, Soldi C, Candee KN, Wettersten HI, Weiss RH, Shaw JT. From bead to flask: Synthesis of a complex β -amido-amide for probe-development studies. *Beilstein J Org Chem*. 2013;9:260-4

- Ulu, A., Harris, T.R., Morisseau, C., Miyabe, C., Inoue, H., Schuster, G., Dong, H., Iosef, A.-M., Weiss, R.H., Chamvimonvat, N., Imig, J.D., Hammock, B.D. Anti-inflammatory Effects of Omega-3 Polyunsaturated Fatty Acids and Soluble Epoxide Hydrolase Inhibitors in Angiotensin-II Dependent Hypertension. 2013, *Journal of Cardiovascular Pharmacology*, in press
- Liu, R., Wettersten, H., Park, S.-H., Weiss, R.H. Small-molecule inhibitors of p21 as novel therapeutics for chemotherapy-resistant kidney cancer, *Future Medicinal Chemistry*, 2013 Jun;5(9):991-4
- Wettersten, H., Weiss, R.H. Potential biofluid markers and targets for clear cell renal carcinoma diagnosis and treatment. *Nature Reviews Urology* 2013 Apr 16;10(6):336-44.
- Zhang, G., Panigrahy, D., Mahakian, L., Yang, J., Liu, J.-Y., Lee, K.S.S., Wettersten, H., Ulu, A., Hu, X., Tam, S., Hwang, S.H., Ingham, E., Weiss, R.H., Ferrara, K.W., Hammock, B.D. Epoxy metabolites of docosahexaenoic acid (DHA) inhibit angiogenesis, tumor growth and metastasis. *Proceedings of the National Academy of Sciences (USA)*, 2013 Apr 16;110(16):6530-5.
- Zivkovic AM, Yang J, Georgi K, Hegedus C, Nording ML, O'Sullivan A, German JB, Hogg RJ, Weiss RH, Bay C, Hammock BD. Serum oxylipid profiles in IgA nephropathy patients reflect kidney functional alterations. 2012 *Metabolomics*, Dec;8(6):1102-1113
- Mall, C., Roche, D.M., Durbin-Johnson, B., Weiss, R.H. Stability of miRNA in human urine supports its biomarker potential, *Biomarkers in Medicine*, 2013, Aug;7(4):623-31
- Wettersten, H., Weiss, R.H. Applications of Metabolomics for Kidney Disease Research: From biomarkers to therapeutic targets, *Organogenesis*, 2013, Jan-Mar;9(1):11-8
- Abu Aboud, A., Wettersten, H., Weiss, R.H. Inhibition of PPAR α induces cell cycle arrest and apoptosis, and synergizes with glycolysis inhibition in kidney cancer cells, 2013, *PLoS ONE*, Aug 7;8(8):e71115
- Nording ML, Yang J, Georgi K, Hegedus Karbowski C, German JB, Weiss RH, Hogg RJ, Trygg J, Hammock BD, Zivkovic AM. Individual variations in lipidomic profiles of health subjects in response to omega-3 fatty acids, 2013, *PLoS ONE* Oct 24;8(10):e76575
- Kim, K., Mall C., Taylor S.L., Hitchcock S., Zhang C., Wettersten H.I., Jones A.D., Chapman A., Weiss R.H. Mealtime, temporal, and daily variability of the human urinary and plasma metabolomes in a tightly controlled environment, 2013, *PLoS ONE*, Jan 24;9(1):e86223
- Weckler, A.T., Hwang, S.H., Wettersten, H.I., Gilda, J.E., Patton, A. Leon, L.J., Carraway III, K.L., Gomes, A.V., Baar, K., Weiss, R.H., Hammock, B.D., 2014, Novel Sorafenib-Based Structural Analogues: In Vitro Anticancer Evaluation of t-MTUCB and t-AUCMB. *Anticancer Research*, 2014 Apr;25(4):433-46
- Wettersten, H.I., Ganti, S.L., Weiss, R.H. Metabolomic profiling of tumor-bearing mice, in Oncometabolism, 2014, *Methods in Enzymology* (Elsevier), 543:275-96.
- Wettersten, H.I., Weiss, R.H. Kidney disease, in Nicholls, A., Theodoridis, G., Wilson, I.D. eds: *Global Metabolomic Profiling: Clinical Applications*, 2014 *Future Medicine*,
- Hoffman, M.D., Weiss, R.H. Symptomatic Hypotonic Hyponatremia presenting at high altitude, *Wilderness Environ Med.* 2014 Apr 23. pii: S1080-6032(14)00054-4.
- Hoffman, M.D., Stuempfle, K.J., Sullivan, K., Weiss, R.H. Exercise-associated hyponatremia with exertional rhabdomyolysis: Importance of proper treatment, *Clinical Nephrology*, 2014 Jun 16
- Zhang, G., Panigrahy, D., Hwang, S.H., Yang, J., Mahakian, L.M., Wettersten, H.I., Liu, J.Y., Wang, Y., Ingham E.S., Tam, S., Kieran, M.W., Weiss, R.H., Ferrara, K.W., Hammock, B.D. Dual inhibition of cyclooxygenase-2 and soluble epoxide hydrolase synergistically suppresses primary tumor growth and metastasis, *Proceedings of the National Academy of Sciences (USA)*, 2014 Jul 29;111(30) :11127-32
- Gupta, R., Dong, Y., Wettersten, H.I., Chang, C., Min, J., Henson, J., Solomon, P., Dogra, S., Hwang, S.H., Hammock, B.D., Reddel, R., Zhu, L., Saltzman, W., Weiss, R.H.,

- Chang, S., Green, M., Wajapeyee, N. Synergistic tumor suppression by combined inhibition of telomerase and CDKN1A. *Proceedings of the National Academy of Sciences (USA)*, 2014 Jul 29;111(30):E3062-E3071.,
- Han, J-H., Tan, M., Sudheendra, L., Weiss, R.H., Kennedy, I.M. On-chip detection of a single nucleotide polymorphism without polymerase amplification, *Nano Research*, 2014 Sep 1;7(9):1302-1310.
 - Wecksler AT, Hwang SH, Liu JY, Wettersten HI, Morisseau C, Wu J, Weiss RH, Hammock BD. Biological evaluation of a novel sorafenib analog, t-CUPM. *Cancer Chemother Pharmacol.* 2015 Jan;75(1):161-71.
 - Tan, M., Wettersten, H.I., Chu, K., Huso, D.L., Watnick, T., in revision, S., Landesman, Y., Weiss, R.H. Novel inhibitors of nuclear transport cause cell cycle arrest and decrease cyst growth in ADPKD associated with decreased cdk4 levels, *American Journal of Physiology: Renal Physiology*, 2014 Dec 1;307(11):F1179-86
 - Wettersten HI, Kauffman M, Shacham S, Landesman Y, Weiss, R.H. Specific Inhibition of the Nuclear Exporter Exportin-1 Attenuates Kidney Cancer Growth, *PLoS One*, 2014, Dec 2;9(12):e113867
 - Hwang VJ, Ulu A, van Hoorebeke J, Weiss RH. Biomarkers in IgA nephropathy. *Biomark Med.* 2014 Dec;8(10):1263-77
 - Abu Aboud, O., Donohoe, D., Bultman, S., Fitch, M., Riiff, T., Hellerstein, M., Weiss, R.H. PPAR α inhibition modulates multiple reprogrammed metabolic pathways in kidney cancer and attenuates tumor growth, *American Journal of Physiology: Cell Physiology*, 2015 Jun 1;308(11):C890-8
 - Mirzayans, R., Andrais, B., Scott, A., Wang, Y.W., Weiss, R.H., Murray, D. Spontaneous gamma-H2AX foci in human solid tumor-derived cell lines in relation to p21WAF1 and WIP1 expression. *Int J Mol Sci.* 2015 May 20;16(5):11609-28
 - Wettersten, H.I., Hakimi A.A., Morin, D., Bianchi, C., Johnstone, M.E., Donohoe, D.R., Trott J.F., Abu Aboud, O., Stirdivant, S., Neri, B., Wolfert, R., Stewart, B., Perego, R., Hsieh J.J, Weiss, R.H. Grade-dependent metabolic reprogramming in kidney cancer revealed by combined proteomics and metabolomics analysis, *Cancer Res.* 2015 Jun 15;75(12):2541-52.
 - Hwang, V.J., Rand, A., Kim, J., Yang, C., Hammock, B.D., Guay-Woodford, L., Weiss, R.H. The cpk model of recessive PKD shows glutamine-dependence associated with the production of the oncometabolite 2-hydroxyglutarate, *American Journal of Physiology: Renal Physiology*, 2015 Jul 8:ajprenal.00238.2015. doi: 10.1152/ajprenal.00238.2015. [Epub ahead of print]
 - Elahi, S., Weiss, R.H., Merani, S. Atorvastatin restricts HIV replication in CD4+ T cells by upregulation of p21, *AIDS*, Jan;30(2):171-83
 - Hoffman, M.D., Weiss, R.H. Does acute kidney injury from an ultramarathon increase the risk for greater subsequent injury? *Clinical Journal of Sports Medicine*, 2015 Dec 9
 - Berthelot CC, Kamita SG, Sacchi R, Yang J, Nording ML, Georgi K, Hegedus Karbowski C, German JB, Weiss RH, Hogg RJ, Hammock BD, Zivkovic AM, Changes in PTGS1 and ALOX12 Gene Expression in Peripheral Blood Mononuclear Cells Are Associated with Changes in Arachidonic Acid, Oxylipins, and Oxylin/Fatty Acid Ratios in Response to Omega-3 Fatty Acid Supplementation. *PLoS One.* 2015 Dec 16;10(12):e0144996
 - Taylor SL, Ruhaak LR, Kelly K, Weiss RH, Kim K. Effects of imputation on correlation: implications for analysis of mass spectrometry data from multiple biological matrices *Brief Bioinform.* 2016 Feb 19
 - Kim J, Ulu A, Wan D, Yang J, Hammock BD, Weiss RH. Addition of DHA synergistically enhances the efficacy of regorafenib for kidney cancer therapy. *Mol Cancer Ther.* 2016 Feb 26

- Hu SL, Chang A, Perazella MA, Okusa MD, Weiss RH. The Nephrologist's Tumor: Basic Biology and Management of Renal Cell Carcinoma, *Journal Amer. Soc. Nephrology (JASN)*, in press
- Kim, J., Stewart, B., Weiss, RH. Extraction and Quantification of Tryptophan and Kynurenine from Cultured Cells and Media Using a High Performance Liquid Chromatography (HPLC) System Equipped with an Ultra-Sensitive Diode Array Detector. *Bioprotocols*, in press