

## Waste Summary Flyer

### Help Waste Find Its Place

#### All Red-in-Red

Waste Items with blood of any kind in any amount are biohazardous waste.



#### Red Bag Transport

New small transport bags are now available and feature adhesive strips to seal and secure waste.



#### IV Start Supplies

Used IV-start supplies that are contaminated with and/or contain blood or OPIM must be disposed inside a biohazardous bin.



Please do not place regulated items in the municipal trash. We must do our part to properly segregate our waste.

If you are unsure where a waste item goes, reach out to EH&S for assistance.

**Environmental, Health, & Safety (EH&S)**

(916) 734-2740

[safety@health.ucdavis.edu](mailto:safety@health.ucdavis.edu)

[EH&S Website](#)


#### Plain Injectable Solutions

Upon drainage, dispose of empty IV bags into a regular municipal trash bin. Remove or cover any PHI to dispose of.



#### PHI/Ident-i-hide

Dispose of PHI items (i.e., discharge and nutrition papers, handwritten notes, labels) in a confidential bin. Apply Ident-i-hide label covers to affixed PHI.



#### Personal Care Items

Dispose of personal care items such as shampoo, soap, toothpaste, and similar items inside blue pharmaceutical bins.



#### Pharmaceuticals

All empty, partially empty, and full/expired non "HD" alert medication vials and single dose cups must be disposed of in the blue pharmaceutical bin.




#### Black RCRA Bins

Return to Pharmacy Bin



Hazardous Waste



#### Items with Alcohol

Alcohol-containing items (i.e., antiseptic towelettes, IPA, and sanitizing gel) must be placed in a black hazardous waste bin.



#### Skin Markers

Used surgical skin markers should be disposed inside a black RCRA container.



#### Avoid Overfill

Full-capacity waste bins are identified by the fill line on the container or when  $\frac{3}{4}$  full. Waste should not stick out the top or overflow.

