

CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF COMPLIANCE

LABORATORY NAME AND ADDRESS
UCD COCCIDIOIDOMYCOSIS SEROLOGY LAB
ROOM 3137 TUPPER HALL, SCHOOL OF MEDICINE
WEST SCIENCE DRIVE
DAVIS, CA 95616-5271

CLIA ID NUMBER
05D0644125

EFFECTIVE DATE

04/03/2021

EXPIRATION DATE

04/02/2023

LABORATORY DIRECTOR

STUART R COHEN, MD DIRECTOR

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Monique Spruill

Monique Spruill, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality